

B¹
Contd

in proportions such that 1,3-dibromo-5,5-dimethylhydantoin is continuously or substantially continuously formed and precipitates in the liquid phase of an aqueous reaction mixture during all or substantially all of the time said concurrent feeding is occurring, and such that the pH of said liquid phase is continuously or substantially continuously maintained in the range of about 5.5 to about 8.5 during all or substantially all of the time said concurrent feeding is occurring.

D²

2. (Twice Amended) A process of Claim 132 wherein said pH is in the range of about 6.5 to about 8.5, and wherein the brominating agent used is bromine.

3. (Twice Amended) A process of Claim 132 wherein at least said 5,5-dimethylhydantoin and said inorganic base are fed in the form of a single preformed aqueous solution or slurry.

4. (Twice Amended) A process of Claim 132 wherein at least said 5,5-dimethylhydantoin is fed in the form of a separate preformed aqueous solution or slurry, and wherein at least said inorganic base is fed in the form of a separate preformed aqueous solution or slurry.

D³

6. (Twice Amended) A process of Claim 132 wherein said feeding is initially to a mixing device which produces an effluent stream formed from:

A) said 5,5-dimethylhydantoin and said inorganic base; or

B) (i) said 5,5-dimethylhydantoin and water, (ii) said inorganic base and water, or (iii) said brominating agent and water; or

C) said 5,5-dimethylhydantoin, said inorganic base, and water;

and wherein the effluent stream is fed into a reaction vessel containing a larger volume of the aqueous reaction mixture; wherein said stream is subjected to dilution in the aqueous reaction mixture before the temperature of said effluent stream exceeds about 90°C; and wherein the temperature of the aqueous reaction mixture is maintained in the range of about 0 to about 90°C during all or substantially all of the time said feeding is occurring.

10. (Twice Amended) A process of Claim 132 wherein said inorganic base is a basic salt or oxide of a water-soluble alkali metal or an alkaline earth metal; wherein the amount of such base is the stoichiometric quantity, or is substantially the stoichiometric quantity, theoretically required to deprotonate the nitrogen atoms of said 5,5-dimethylhydantoin; wherein said brominating agent is (i) bromine, (ii) an alkali metal bromide or aqueous solution thereof, or an alkaline earth metal bromide or aqueous solution thereof, and chlorine, or hypochlorite salt or aqueous hypochlorite solution in amounts sufficient to generate bromine *in situ*, or (iii) a combination of (i) and (ii); wherein at least all or such portion of said brominating agent that is in the vapor state, if any, is fed subsurface to the liquid phase of the aqueous reaction mixture; wherein the temperature of the aqueous reaction mixture is continuously or substantially continuously in the range of from

about 30 to about 90°C during all or substantially all of the time said feeding is occurring; and wherein the proportions of the feeds are such that the total amount of said brominating agent being fed to N-halogenate the 5,5-dimethylhydantoin being fed are such that there are in the range of about 3.8 to about 4.2 atoms of bromine per molecule of 5,5-dimethylhydantoin.

11. (Twice Amended) A process of any of Claims 132, 2, or 9 wherein said process is conducted in a continuous mode in which, under steady state conditions, said feed(s) are maintained such that the ratio of (i) the volume of said reaction mixture in liters to (ii) the moles of 5,5-dimethylhydantoin being fed to the reaction mixture per minute is in the range of about 10 to about 100 liters per mole per minute.

12. (Twice Amended) A process of any of Claims 132, 2, or 9 wherein said process is conducted in batch mode in at least one reactor and wherein, until the volume of the reaction mixture reaches 50 percent of the total volume of the reactor(s), the feeds to said reaction mixture are maintained such that the ratio of (i) the volume of said reaction mixture in liters to (ii) the moles of 5,5-dimethylhydantoin being fed to the reaction mixture per minute is in the range of about 10 to about 100 liters per mole per minute; and wherein, when the volume of the reaction mixture is 50 percent or more of the total volume of the reactor(s), the feeds to said reaction mixture are maintained such that the ratio of (i) the volume of said reaction mixture in liters to (ii) the moles of 5,5-dimethylhydantoin

Q4
Contd

being fed to the reaction mixture per minute is in the range of about 30 to about 60 liters per mole per minute.

Q5

15. (Amended) A process of Claim 14 wherein said brominating agent is bromine, and is fed subsurface to the liquid phase of said reaction mixture.

16. (Amended) A process of Claim 14 wherein said brominating agent is (i) an alkali metal bromide or an alkaline earth metal bromide, and (ii) chlorine, a hypochlorite salt, or an aqueous hypochlorite solution in amounts sufficient to generate bromine *in situ*, and if (ii) is chlorine, at least the chlorine is fed subsurface to the liquid phase of said reaction mixture.

17. (Amended) A process of Claim 14 wherein the inorganic base is a water-soluble basic salt or oxide of an alkali metal or an alkaline earth metal, and wherein the amount of such base is the stoichiometric quantity, or is substantially the stoichiometric quantity, theoretically required to deprotonate the nitrogen atoms of said 5,5-dimethylhydantoin.

18. (Twice Amended) A process of Claim 132 wherein said aqueous reaction mixture is at one or more temperatures in the range of about 0 to about 90°C, and wherein if said brominating agent is in the form of a vapor, said vapor is fed subsurface to the liquid phase of the reaction mixture.

19. (Twice Amended) A process of any of Claims 14, 15, or 16 wherein said process is conducted in a continuous mode in which, under steady state conditions, said feed(s) are maintained such that the ratio of (i) the volume of said reaction mixture in liters to (ii) the moles of 5,5-dimethylhydantoin being fed to the reaction mixture per minute is in the range of about 10 to about 100 liters per mole per minute.

C5
cont

20. (Twice Amended) A process of any of Claims 14, 15, or 16 wherein said process is conducted in a batch mode in at least one reactor and wherein, until the volume of the reaction mixture reaches 50 percent of the total volume of the reactor(s), the feeds to said reaction mixture are maintained such that the ratio of (i) the volume of said reaction mixture in liters to (ii) the moles of 5,5-dimethylhydantoin being fed to the reaction mixture per minute is in the range of about 10 to about 100 liters per mole per minute; and wherein, when the volume of the reaction mixture is 50 percent or more of the total volume of the reactor(s), the feeds to said reaction mixture are maintained such that the ratio of (i) the volume of said reaction mixture in liters to (ii) the moles of 5,5-dimethylhydantoin being fed to the reaction mixture per minute is in the range of about 30 to about 60 liters per mole per minute.

22. (Amended) A process of Claim 21 wherein the temperature of said reaction mixture is in the range of about 20 to about 80°C, and wherein, if all or

part of said brominating agent is in the form of a vapor, said vapor is fed subsurface to the liquid phase of said reaction mixture.

23. (Twice Amended) A process of Claim 132 wherein the proportions of water, inorganic base, and 5,5-dimethylhydantoin being fed are such that:

- B⁶ Contd*
- A) where the inorganic base has a monovalent cation, there are from about 0.5 to about 2.5 moles of 5,5-dimethylhydantoin and from about 0.5 to about 2.5 moles of the base, per liter of water; and
 - B) where the base has a divalent cation, there are about 0.5 to about 2.5 moles of 5,5-dimethylhydantoin and from about 0.25 to about 1.25 moles of the base, per liter of water.

24. (Twice Amended) A process of Claim 132 wherein the proportions of water, inorganic base, and 5,5-dimethylhydantoin being fed are such that:

- A) where the inorganic base has a monovalent cation, there are from about 1.0 to about 1.5 moles of 5,5-dimethylhydantoin and from about 1.0 to about 1.5 moles of the base, per liter of water; and
 - B) where the base has a divalent cation, there are about 1.0 to about 1.5 moles of 5,5-dimethylhydantoin and from about 0.5 to about 0.75 moles of the base, per liter of water.
-

B⁷

27. (Twice Amended) A process of Claim 132 wherein the process is conducted in a continuous mode; wherein the temperature of the aqueous reaction

C⁷
Contd

mixture is in the range of about 20 to about 90°C; and wherein said inorganic base and 5,5-dimethylhydantoin are fed either as separate solutions or slurries in water or as a single solution or slurry in water.

28. (Twice Amended) A process of Claim 27 wherein during steady-state operation, precipitate is continuously being formed that (1) has a purity of at least about 97%, and (2) is formed in a continuous or substantially continuous yield of at least about 85% based on the amount of the 5,5-dimethylhydantoin being fed to the reactor.

✓
Cancel Claims 29 and 30 without prejudice or disclaimer.

D⁸

31. (Amended) A process of Claim 133 wherein said process is conducted in a continuous mode in which, under steady state conditions, said feed(s) are maintained such that the ratio of (i) the volume of said reaction mixture in liters to (ii) the moles of said hydantoin being fed to the reaction mixture per minute is in the range of about 30 to about 60 liters per mole per minute.

✓
Cancel Claim 32 without prejudice or disclaimer.

D⁹

33. (Twice Amended) A process of Claim 133 wherein said process is conducted in batch mode in at least one reactor and wherein, until the volume of the reaction mixture reaches 50 percent of the total volume of the reactor(s), the

89
Contd

feeds to said reaction mixture are maintained such that the ratio of (i) the volume of said reaction mixture in liters to (ii) the moles of 5,5-dimethylhydantoin being fed to the reaction mixture per minute is in the range of about 10 to about 100 liters per mole per minute; and wherein, when the volume of the reaction mixture is 50 percent or more of the total volume of the reactor(s), the feeds to said reaction mixture are maintained such that the ratio of (i) the volume of said reaction mixture in liters to (ii) the moles of 5,5-dimethylhydantoin being fed to the reaction mixture per minute is in the range of about 30 to about 60 liters per mole per minute.

910

35. (Twice Amended) A process of Claim 132 wherein said inorganic base is a basic salt or oxide of an alkali metal or an alkaline earth metal; wherein the amount of such base is the stoichiometric quantity, or is substantially the stoichiometric quantity, theoretically required to deprotonate the nitrogen atoms of the 5,5-dimethylhydantoin; wherein said brominating agent is (i) bromine, (ii) an alkali metal bromide or aqueous solution thereof, or an alkaline earth metal bromide or aqueous solution thereof, and chlorine, or hypochlorite salt or aqueous hypochlorite solution in amounts sufficient to generate bromine *in situ*, or (iii) a combination of (i) and (ii); wherein at least all or such portion of brominating agent that is in the vapor state, if any, is fed subsurface to the liquid phase of the aqueous reaction mixture; wherein the temperature of the aqueous reaction mixture is continuously or substantially continuously maintained in the range of from about 20 to about 80°C during all or substantially all of the time said feeding is occurring; and wherein said process is conducted in a continuous mode in which,

under steady state conditions, the feeds to said reaction mixture are maintained such that the ratio of (i) the volume of said reaction mixture in liters to (ii) the moles of 5,5-dimethylhydantoin being fed to the reaction mixture per minute is in the range of about 30 to about 60 liters per mole per minute.

36. (Twice Amended) A process of Claim 132 wherein said inorganic base is a basic salt or oxide of an alkali metal or an alkaline earth metal; wherein the amount of such base is the stoichiometric quantity, or is substantially the stoichiometric quantity, theoretically required to deprotonate the nitrogen atoms of the 5,5-dimethylhydantoin; wherein said brominating agent is (i) bromine, (ii) an alkali metal bromide or an alkaline earth metal bromide, and chlorine, a hypochlorite salt, or an aqueous hypochlorite solution in amounts sufficient to generate bromine *in situ*, or (iii) a combination of (i) and (ii); wherein at least all or such portion of said brominating agent that is in the vapor state, if any, is fed subsurface to the liquid phase of the aqueous reaction mixture; wherein the temperature of said aqueous reaction mixture is continuously or substantially continuously maintained in the range of from about 20 to about 80°C during all or substantially all of the time said feeding is occurring; wherein said process is conducted in a batch mode in at least one reactor; wherein, until the volume of the reaction mixture reaches 50 percent of the total volume of the reactor(s), the feeds to said reaction mixture are maintained such that the ratio of (i) the volume of said reaction mixture in liters to (ii) the moles of 5,5-dimethylhydantoin being fed to the reaction mixture per minute is in the range of about 20 to about 80 liters per mole

D¹⁰ Contd
per minute; and wherein, when the volume of the reaction mixture is 50 percent or more of the total volume of the reactor(s), the feeds to said reaction mixture are maintained such that the ratio of (i) the volume of said reaction mixture in liters to (ii) the moles of 5,5-dimethylhydantoin being fed to the reaction mixture per minute is in the range of about 30 to about 60 liters per mole per minute.

✓
Cancel Claims 39 and 40 without prejudice or disclaimer.

D¹¹
41. (Amended) A process of Claim 35 wherein said pH is in the range of about 6.8 to about 7.2; wherein said temperature in the range of about 30 to about 70°C; and wherein said brominating agent is bromine.

42. (Amended) A process of Claim 133 wherein said pH is continuously or substantially continuously maintained in the range of about 6.8 to about 7.2 during all or substantially all of the time said feeding is occurring; wherein said temperature of the aqueous reaction mixture is maintained in the range of about 30 to about 70°C during all or substantially all of the time said feeding is occurring; and wherein the brominating agent is bromine.

↘ 43. (Twice Amended) A process for the N-halogenation of 5,5-dimethylhydantoin, which process comprises concurrently feeding into a reaction zone, separate feeds of (i) an aqueous solution or slurry formed from an inorganic

all contd

base and 5,5-dimethylhydantoin, and (ii) a brominating agent in proportions such that 1,3-dibromo-5,5-dimethylhydantoin is formed and precipitates in a liquid phase of a reaction mixture during all or substantially all of the time said concurrent feeding is occurring, and such that the pH of said mixture is continuously or substantially continuously maintained in the range of about 6.5 to about 8.5 during all or substantially all of the time said concurrent feeding is occurring.

44. (Amended) A process of Claim 43 wherein (ii) is bromine, and is fed subsurface to the liquid phase of the reaction mixture.

D12

46. (Amended) A process of Claim 43 wherein the inorganic base is a water-soluble basic salt or oxide of an alkali metal or an alkaline earth metal, and wherein the amount of such base is the stoichiometric quantity, or is substantially the stoichiometric quantity, theoretically required to deprotonate the nitrogen atoms of the 5,5-dimethylhydantoin.

D13

51. (Amended) A process of Claim 43 wherein the proportions of water, inorganic base, and 5,5-dimethylhydantoin being fed are such that:

- A) where the inorganic base has a monovalent cation, there are from about 0.5 to about 2.5 moles of 5,5-dimethylhydantoin and from about 0.5 to about 2.5 moles of the base, per liter of water; and
- B) where the base has a divalent cation, there are about 0.5 to about 2.5 moles

of 5,5-dimethylhydantoin and from about 0.25 to about 1.25 moles of the base, per liter of water.

52. (Amended) A process of Claim 43 wherein the proportions of water, inorganic base, and 5,5-dimethylhydantoin being fed are such that:

- 13
Cert
- A) where the inorganic base has a monovalent cation, there are from about 1.0 to about 1.5 moles of 5,5-dimethylhydantoin and from about 1.0 to about 1.5 moles of the base, per liter of water; and
 - B) where the base has a divalent cation, there are about 1.0 to about 1.5 moles of 5,5-dimethylhydantoin and from about 0.5 to about 0.75 moles of the base, per liter of water.

53. (Amended) A process of Claim 43 wherein the process is conducted in a batch mode in at least one reactor and wherein, until the volume of the reaction mixture reaches 50 percent of the total volume of the reactor(s), the feeds to said reaction mixture are maintained such that the ratio of (i) the volume of said reaction mixture in liters to (ii) the moles of 5,5-dimethylhydantoin being fed to the reaction mixture per minute is in the range of about 10 to about 100 liters per mole per minute; and wherein, when the volume of the reaction mixture is 50 percent or more of the total volume of the reactor(s), the feeds to said reaction mixture are maintained such that the ratio of (i) the volume of said reaction mixture in liters to (ii) the moles of 5,5-dimethylhydantoin being fed to the reaction mixture per minute is in the range of about 30 to about 60 liters per mole per minute.

B13
Cont'd

54. (Amended) A process of Claim 43 wherein the process is conducted in a continuous mode in which, under steady state conditions, said feed(s) are maintained such that the ratio of (i) the volume of said reaction mixture in liters to (ii) the moles of 5,5-dimethylhydantoin being fed to the reaction mixture per minute is in the range of about 10 to about 100 liters per mole per minute.

✓
Cancel Claims 55 and 56 without prejudice or disclaimer.

B14

✓ 58. (Amended) A process for the production of 1,3-dibromo-5,5-dimethylhydantoin, which process comprises concurrently feeding into a reaction zone (i) water, inorganic base, and 5,5-dimethylhydantoin, these being fed separately and/or in any combination(s), and (ii) a separate feed of a brominating agent in proportions such that during all or substantially all of the time the concurrent feeding is occurring 1,3-dibromo-5,5-dimethylhydantoin is formed and precipitates in the liquid phase of an aqueous reaction mixture, and in which the pH of said liquid phase is continuously or substantially continuously maintained in the range of about 6.5 to about 8.5 during all or substantially all of the time the concurrent feeding is occurring.

✓
Cancel Claim 61 without prejudice or disclaimer.

15 73. (Amended) A process of Claim 58 wherein the process is conducted in a batch mode by initiating the concurrent feeds of (i) and (ii) to a reactor containing (a) a solids-containing heel of a reaction mixture from a prior reaction in which the 1,3-dibromo-5,5-dimethylhydantoin to be formed had been formed, or (b) a solids-free mother liquor of a reaction mixture from a prior reaction in which the 1,3-dibromo-5,5-dimethylhydantoin to be formed had been formed, and discontinuing the concurrent feeds of (i) and (ii) when the reactor has been filled to the desired level.

74. (Amended) A process of Claim 70 wherein the process is conducted in a batch mode by initiating the concurrent feeds of (i) and (ii) to the reactor containing (a) a solids-containing heel of a reaction mixture from a prior reaction in which the 1,3-dibromo-5,5-dimethylhydantoin to be formed had been formed, or (b) a solids-free mother liquor of a reaction mixture from a prior reaction in which the 1,3-dibromo-5,5-dimethylhydantoin to be formed had been formed, and discontinuing the concurrent feeds of (i) and (ii) when the reactor has been filled to the desired level.

75. (Amended) A process of any of Claims 132, 133, 14, or 43 wherein the proportions of said brominating agent and 5,5-dimethylhydantoin being fed are such that there are in the range of about 1.9 to about 2.1 atoms of bromine per nitrogen atom to be brominated.

76. (Amended) A process of any of Claims 58, 59, 60, 62, or 69 wherein the proportions of the brominating agent and 5,5-dimethylhydantoin being fed are such that there are in the range of about 3.8 to about 4.2 atoms of bromine per molecule of 5,5-dimethylhydantoin.

77. (Amended) A process of Claim 58 wherein (ii) is bromine and wherein the rate at which (i) and (ii) are being fed is such that the color of the reaction mixture is yellow to reddish yellow.

78. (Twice Amended) A process for the N-halogenation of 5,5-dimethylhydantoin which process comprises:

- I) concurrently and continuously feeding into a reactor containing an aqueous reaction mixture:
 - A) separate feeds of (i) an aqueous solution or slurry formed from an inorganic base and 5,5-dimethylhydantoin and (ii) a brominating agent; or
 - B) at least three separate feeds, one of which is a brominating agent, and at least two other feeds, at least one of which is selected from (a) and (b); and at least one of which is selected from (c) and (d), wherein
 - (a) is an aqueous solution or slurry formed from an inorganic base,
 - (b) is an aqueous solution or slurry formed from an inorganic base and 5,5-dimethylhydantoin,
 - (c) is 5,5-dimethylhydantoin, and

(d) is an aqueous solution or slurry formed from 5,5-dimethylhydantoin;

in proportions such that 1,3-dibromo-5,5-dimethylhydantoin is formed and precipitates in the liquid phase of an aqueous reaction mixture during all or substantially all of the time said concurrent feeding is occurring, and such that the pH of said reaction mixture is continuously or substantially continuously maintained in the range of about 5.5 to about 8.5 during all or substantially all of the time said concurrent feeding is occurring; and

II) periodically or continuously removing precipitate and a portion of the reaction mixture from the reactor.

82. (Amended) A process of Claim 78 wherein the temperature of said aqueous reaction mixture is in the range of about 20 to about 90°C, and wherein if said brominating agent is in the form of a vapor, said vapor is fed subsurface to the liquid phase of said reaction mixture in I).

83. (Amended) A process of Claim 80 wherein the temperature of said aqueous reaction mixture is in the range of about 30 to about 70°C, and wherein if said brominating agent is in the form of a vapor, said vapor is fed subsurface to the liquid phase of said reaction mixture in I).

84. (Amended) A process of Claim 78 wherein the proportions of water, inorganic base, and 5,5-dimethylhydantoin being fed are such that:

- 16
cont
- A) where the inorganic base has a monovalent cation, there are from about 0.5 to about 2.5 moles of 5,5-dimethylhydantoin and from about 0.5 to about 2.5 moles of the base, per liter of water; and
 - B) where the base has a divalent cation, there are about 0.5 to about 2.5 moles of 5,5-dimethylhydantoin and from about 0.25 to about 1.25 moles of the base, per liter of water.

85. (Amended) A process of Claim 78 wherein the proportions of water, inorganic base, and 5,5-dimethylhydantoin being fed are such that:

- A) where the inorganic base has a monovalent cation, there are from about 1.0 to about 1.5 moles of 5,5-dimethylhydantoin and from about 1.0 to about 1.5 moles of the base, per liter of water; and
- B) where the base has a divalent cation, there are about 1.0 to about 1.5 moles of 5,5-dimethylhydantoin and from about 0.5 to about 0.75 moles of the base, per liter of water.

86. (Amended) A process of Claim 78 wherein said brominating agent is bromine, and is fed subsurface to the liquid phase of the reaction mixture in I).

87. (Amended) A process of Claim 78 wherein said brominating agent is an alkali metal bromide or an alkaline earth metal bromide and chlorine, a

hypochlorite salt, or an aqueous hypochlorite solution in amounts sufficient to generate bromine *in situ*, and if chlorine is used, said chlorine is fed subsurface to the liquid phase of the aqueous reaction mixture in I).

816
contd
88. (Amended) A process of any of Claims 84 or 85 wherein said brominating agent is bromine, and wherein the bromine is fed subsurface to the liquid phase of the aqueous reaction mixture in I).

89. (Amended) A process of Claim 78 wherein the bromine is fed as a mixture of bromine vapor and at least one inert gas.

90. (Amended) A process of Claim 78 wherein said inorganic base and 5,5-dimethylhydantoin are fed either as separate solutions or slurries in water or as a single solution or slurry in water.

817
93. (Amended) A process of Claim 84 wherein said pH is in the range of about 6.8 to about 7.2; wherein the temperature of said aqueous reaction mixture is in the range of about 30 to about 90°C; wherein if said brominating agent is in the form of a vapor, said vapor is fed subsurface to the liquid phase of the reaction mixture in I); and wherein said inorganic base and 5,5-dimethylhydantoin are fed either as separate solutions or slurries in water or as a single solution or slurry in water.

94. (Amended) A process of Claim 93 wherein the inorganic base used in forming said solution or slurry is a water-soluble basic salt or oxide of an alkali metal or an alkaline earth metal; wherein said brominating agent is bromine; and wherein the bromine is fed subsurface to the liquid phase of the aqueous reaction mixture in I).

96. (Amended) A process of Claim 85 wherein said pH is in the range of about 6.8 to about 7.2; wherein the temperature of said aqueous reaction mixture is in the range of about 30 to about 70°C; wherein if all or a portion of said brominating agent is in the form of a vapor, at least said vapor is fed subsurface to the liquid phase of said reaction mixture in I); and wherein said inorganic base and 5,5-dimethylhydantoin are fed either as separate solutions or slurries in water or as a single solution or slurry in water.

97. (Amended) A process of Claim 96 wherein the inorganic base used is a water-soluble basic salt or oxide of an alkali metal or an alkaline earth metal; wherein said brominating agent is bromine; and wherein the bromine is fed subsurface to the liquid phase of the aqueous reaction mixture in I).

Cancel Claims 99 and 100 without prejudice or disclaimer.

101. (Amended) A process of Claim 78 wherein said pH is in the range of about 6.8 to about 7.2.

102. (Amended) A process of Claim 101 wherein the temperature of said aqueous reaction mixture is in the range of about 20 to about 80°C, and wherein if all or a portion of said brominating agent is in the form of a vapor, at least said vapor is fed subsurface to the liquid phase of said reaction mixture in I).

*B19
Cont
B20*

106. (Amended) A process of Claim 101 wherein said brominating agent is bromine, and is fed subsurface to the liquid phase of the aqueous reaction mixture in I).

107. (Amended) A process of Claim 101 wherein said brominating agent is an alkali metal bromide or an alkaline earth metal bromide and chlorine, hypochlorite salt, or an aqueous hypochlorite solution in amounts sufficient to generate bromine *in situ*, and wherein if chlorine is used, said chlorine is fed subsurface to the aqueous reaction mixture in I).

108. (Amended) A process of Claim 101 wherein said brominating agent is bromine, and wherein the bromine is fed subsurface to the aqueous reaction mixture in I).

B20

113. (Amended) A process of Claim 110 wherein the temperature of said aqueous reaction mixture is in the range of about 40 to about 60°C; wherein if all or a portion of said brominating agent is in the form of a vapor, at least said vapor

is fed subsurface to the liquid phase of the aqueous reaction mixture in I); and wherein the proportions of water, inorganic base, and 5,5-dimethylhydantoin being fed are such that:

- P20
Cont
- A) where the inorganic base has a monovalent cation, there are from about 0.5 to about 2.5 moles of 5,5-dimethylhydantoin and from about 1.0 to about 5.0 moles of the base, per liter of water; and
- B) where the base has a divalent cation, there are about 0.5 to about 2.5 moles of 5,5-dimethylhydantoin and from about 0.5 to about 2.5 moles of the base, per liter of water.

114. (Amended) A process of Claim 113 wherein said brominating agent is bromine; and wherein the bromine is fed subsurface to the liquid phase of the aqueous reaction mixture in I).

P22

117. (Amended) A process of Claim 116 wherein said brominating agent is bromine; and wherein the bromine is fed subsurface to the liquid phase of the aqueous reaction mixture in I).

/

Cancel Claim 119 without prejudice or disclaimer.

P23

120. (Amended) A process of Claim 133 or 78 wherein the process is conducted adiabatically and with agitation of the aqueous reaction mixture.

121. (Amended) A process of Claim 101 wherein the halogen is bromine and wherein the rate at which the feeds are being fed is such that the color of the reaction mixture is yellow to reddish yellow.

122. (Amended) A process of any of Claims 78, 93, or 96 wherein the proportions of said brominating agent and 5,5-dimethylhydantoin being fed are such that there are in the range of about 3.8 to about 4.2 atoms of bromine per atom of nitrogen.

124. (Twice Amended) A process for the N-halogenation of 5,5-dimethylhydantoin, which process comprises:

- a) concurrently feeding into a reactor (i) water, inorganic base, and 5,5-dimethylhydantoin, these components being fed separately and/or in any combination(s), and (ii) a separate feed of a brominating agent, in proportions such that:
- 1) both nitrogen atoms of the 5,5-dimethylhydantoin become substituted by a bromine atom;
 - 2) during all or substantially all of the time the concurrent feeding is occurring, the product precipitates in the liquid phase of an aqueous reaction mixture in which the pH is continuously or substantially continuously maintained in the range of about 5.5 to about 8.5; and
 - 3) an aqueous solution of co-product inorganic bromide salt is formed;
- b) separating precipitate from said aqueous solution; and

- D²⁴ Contd*
- c) oxidizing co-product inorganic bromide salt in said solution to form elemental bromine.
-

D²⁵

127. (Amended) A process of any of Claims 124-126 wherein said inorganic base is a water-soluble basic salt or oxide of an alkali metal or an alkaline earth metal; and wherein said brominating agent is bromine fed subsurface to the liquid phase of the aqueous reaction mixture.

128. (Amended) A process of Claim 124 wherein said pH is maintained in the range of about 6.8 to about 7.2; and wherein the temperature of said reaction mixture is maintained in the range of about 40 to about 60°C.

D²⁶

130. (Amended) A process of any of Claims 133, 43, or 58 wherein an aqueous solution of co-product inorganic bromide salt is formed; wherein precipitate is separated from said aqueous solution; and wherein co-product inorganic bromide salt in said solution is oxidized to form elemental bromine.

131. (Amended) A process of Claim 78 wherein co-product inorganic bromide salt is formed in the aqueous reaction mixture; wherein the inorganic bromide salt in the aqueous solution remaining after said precipitate has been removed therefrom is oxidized to form elemental bromine.

Cancel Claims 134 and 135 without prejudice or disclaimer.